## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images, Please do not report the images to the Image Problem Mailbox.




1/







F16. 3




F16. 4




F-19, 5




F1G. 6




F16, 7





F16, 8






516. 13






F(6.11

400



F16.



F1 6.

90%


450

× 9 -Not Logged on File View | Workload-Definition Index-Analysis Index-Validation Index-Creation Tools Help Selects the statements from the Database Query Log Existing Workload... DBQL Statements... Import Workload... QCD Statements... Statement Text... 鱼鱼 面 J ø

400

Logged on to sahu, DBC File View Workload-Definition Index-Analysis Index-Validation Index-Creation Tools Help 多图》 QCD: tiwizqcd, WORKLOAD: myworkload Start the Index Validation or Apply the Recommendations Restart Analysis... What-If Analysis... New Analysis... Start a what-if analysis of the workload **2** 4

× 69 -Not Lagged on odd war war war war war and the second of th 403 Index-Validation Thdex-Creation Iools Help **%** ⊗∞ **3**3 yalidation... File View Workload-Definition Index-Analysis 📆 Teradata Index Wizard Validates the indexes 



F16.

<u>~</u>

797 CSSTISS TOTELT


de

1931 × 9 -Not Logged on Index Analysis Inputs... Yalidation System... Teradata System Emulation Tool Leradata Statistics Wizard Teradata Visual Explain Deline Data Source... Workload <u>C</u>leanUp File View Workload-Definition Index-Analysis Index-Validation Index-Creation Tools Help Options **多** 超 S | 中国 | 中国 | 中国 | 中国 | 中国 | ń 1 a a a ø

,	lcon (	
8m-380	④	To logon to the Teradata RDBMS server.
325 loB	⑦	To log off from the Teradata RDBMS server.
42 3 2 V		To select the statements from the DBQL.
800		To enter the SQL statements or select them from more than one file.
804	<b>(</b>	To select the SQL statements from the QCD.
20 D	<b>1</b>	To import a workload from a production system.
7 ° 8		To select an existing workload.
607		To set/reset the index analysis parameters.
م ا	ð	To start index analysis.
608	3	To perform "What-If" analysis
810	<u>E</u>	To restart index analysis from a checkpoint.
118	Ø	To display summary information.
o là	<b>3</b>	To validate the indexes.
No.		To schedule the creation of indexes.
120	[&]	To view the help contents.
815	<b>6</b> ₽	To guide the user how to use help.
•		

	200		163	207	
Define Workload	DBQL Search Criteria————————————————————————————————————	Start Time: End Time: End Time: End Time: End Time: End Time: Erequency: Statement Text:	Browse DBQ	Selected Frequency Statement Text    Selected Frequency Statement Text   A	OK. Cancel

F16. -21




F19,

	-520		<i>b</i> –				125								
Define Workload	GCD Statements	QCD Name: Query ID: Query I ag:	TIWizQCD Browse QCD	c Query Frequ	19 1 Insert explain into tiwizqed sel * from query,rels   17 1 Insert explain into tiwizqed sel * from query;;;	15 1 sel * from query, relation where query.queryid =	13 1 sel * from query,relation ,workload ;;;	7 32 1 sel * from query, relation where relation, relation	11 1 sel * from query,relation where query,queryid =	1 sel * from query,relation ,workload where query	7 30 1 sel * from query.;;	7 28 1 Insert explain into TIWizQCD sel * from relatio →	<b>▲</b>	Workload Name: MyWorkload Select All Deselect All	Cancel Cancel

نى ك ك

Open		× 2
Look jn: Sal	sql	•
elcreatedb Createtb eldropdb elmigrat10 elmigrat20 elmigrat21	ed migrat31 ed migrat40 ed migrat41 ed migrat42	
File <u>n</u> ame:	createtb	Open
Files of type:	SQL Files (*.sql)	Cancel



F19. 25

IX I	275	722	7.7.5	756	
Existing Workload	QCD Name:    Myworkload	State Frequ Statement Text  1 1 sel * from query;; 2 1 sel * from relation;;  4	- Workload Status  Recommend Index Tag   Validated Sy Validated Til Validated Qt Recomtaged   None    2 myindextage deepika 7:43.670000 tiwizqcd   None    1 MylndexTage deepika 7:43.670000 tiwizqcd   None    2 muindextage deepika 7:43.670000 tiwizqcd   None    3 muindextage deepika   7:43.670000 tiwizqcd   None    4	─ Modify Uptions  ☐ Qcd Statements  ☐ Query I ext	0K Cancel

Workload Name:
MyWorkload ▼
SYDA
Validated Sy Validated Til Validated Qt Recom ► deepika 7:43.670000 tiwizqcd NONE deepika 7:43.670000 tiwizqcd NONE deepika 7:43.670000 tiwizqcd NONE
Cancel


			j	7 >60			
N.			1	ŦĒ.	Ŧ	1	Cancel
			4	16	256	വ	aults
arameters:	Inputs	ng indexes	mns per Index:	kes per Table:	pace:	[hreshold:	Set Defaults
Index Analysis Parameters	ا Index Analysis Inputs ا	Keep existing indexes	Maximum Columns per Index:	Maximum Indexes per Table:	Index Search Space:	Change Rate Ihreshold:	( OK

F16, 28

<u>×</u>	1 2 2 1 1 2 2 1 1 2 2 1 1 2 1 2 1 2 1 2	
Index Analysis  - Workload Statements  Statement Id Frequency Statement Text  3 1 sel * from query relation where relation relationid	atabase Nam	- Restart Parameters - Index Tag: MyIndexTag Checkpoint Erequency: Checkpoint Frequency: Checkpoint Frequency: Checkpoint Frequency: Checkpoint Frequency: Cave Exection Plans in Files  □ Save Becommendations in Files □ Save Becommendations in Files □ Cancel Cancel

F1G. 29

				-580			
N E		$\prod$	P	F	•		
Restart Index Analysis	Pestart parameters	QCD Name: TIWizQCD	Workload Name: MyWorkload	Index Tag. MyIndexTag	Save Recommendations	☐ Save exection plans	OK Cancel



F16.

~

📆 Index Recommendation Report	nendation Repor	t				×   □   -
		lnd	Index Recommendation Report	dation Repo	£	
aci	QCD Name: tiwizqed		Workload Name: myworkload	workload	Index Tag: myindextag	dextag
Table Name	Index Tag	Index T	Size(KB) Time Esti	Fime Esti	Index DDL	Stats DDL
QUERY BEI ATION	MyIndextag MyIndextag	ISI ISI	10.00	59.00	CREATE INDEX	COLLECT STATS C
RELATION	MyIndextag	ISO No.	10.00	59.00	CREATE INDEX	COLLECT STATS
				/		
-						
				<u> </u>	7620	
				729	1	

F1G. 32

XIII-			
	Index Tag: MyIndexTag		
		Columns QueryID RelationKey	1 630
V 400 T	Existing Indexes Report and Name: myworkload		
	Existing Indexes Report Workload Name: myworkload	Index Type P P	
Report	QCD Name: TIWizQCD	Index Name PK_QueryID PK_RelationKey	
🖔 Existing Indexes Report	QCD N	Table Name In QUERY F RELATION F	

r 16. 55

	Index Tag: MyIndexTag	Query Text sel * from query,relation w sel * from query;; sel * from relation;;	245
The state of the s	ū	Percentage! Cha 100.00 100.00	949
	Query Cost Analysis Report Workload Name: myworkload	Cost(with recommended 50.00 50.00 50.00 50.00	
inalysis Report	QCD Name: TIWizQCD	Cost(with existing i 100.00 100.00 100.00	
📆 Query Cost Analysis Report	ŏ	Query Type SELECT SELECT SELECT	<b>▼</b>

F16, 34

Update Cost Report	port		×   _   _
QCD N	QCD Name: MyTextQCD	Update Cost Report Workload Name: MyWorkload	Index Tag: Index1
Table Name	Indexes	Update Cost	
No rows returned			
<b>\</b>			
		059	/ / 63

F16. 35

<b>B</b> Disk Space Analysis Report			N I I
	Disk Space Analysis Report		
QCD Name:TIWizQCD	'izQCD Workload Name:myworkload	Index Tag:MyIndexTag	
Table Name	Index Name	S	Size(KB)
auery Relation Relation	Mylndextag Mylndextag Mylndextag		10.00 10.00 10.00
	099	799	

F16, 36

<b>Table Usage Report</b>	
	Table Usage Report
QCD Name: TIWizQCD	) Workload Name: myworkload Index Tag: MyIndex Tag
Table Name   Access Count	Statement Text
QUERY 1	sel * from query,relation where relation.relationid = query.queryid and query.qu sel * from query,relation where relation.relationid = query.queryid and query.qu
QUERY 1	sel * from query;; sel * from relation;;
<b>—</b>	
	(E)
	ot) ole

F16, 37

675

<b>□</b>		₩.			
×   -	מ	Statement T	sel * from q sel * from q sel * from q sel * from re		n j
	Index Tag: MyIndexTag	Columns involve	. , QueryID, QUER ? ?		7.89 089
	Workload Analysis Report Workload Name: myworkload In	Columns	RelationKey, Cardinality, Geogl QueryText, QUERYNAME, Que UDB_KEY, QUERYNAME, Dat SortInfo, VIEWNAME, UDB_KE		39
	Work	<b>-</b>	Z Z		
		Table Na			
Workload Analysis Report	QCD Name: TIWizQCD	Relative	3.70 3.70 3.70 3.70		
ad Analy	QCD L	Cost	01 01 01 01 01 01 01 01 01 01 01 01 01 0		
® worklo		State	SELE SELE SELE	-	


F16, 35


്യാട്യമാന്ത്രാപ്പാട്ടു	ort			×
		Summary Report		
CC	QCD Name: TIWizQCD	ACD Workload Name: myworkload	IndexTa	Index Tag: MyIndexTag
Table Name	Index Name	Index DDL		Stats DDL
QUERY RELATION RELATION	MyIndextag MyIndextag MyIndextag	CREATE INDEX index_3 (QueryText) on Query; CREATE INDEX index_4 (name) on Relation; CREATE INDEX index_4 (name, TableName) o	:	COLLECT STATS Query INE COLLECT STATS Relation II COLLECT STATS Relation II
-				
		069	692	


F16. 39

🌃 Table Scan Report	in Report				× □ -
			Table Scan Report	. Report	
	O	QCD Name; tiwizqcd		Workload Name: myworkload	nyworkload ·
Owner	Table Name	Cardinality	Cardinality AMPs Retrieves	Geograph	Statement, Text
tiwizgcd	QUERY	45.00	All AMP Retrieve	built locally	sel*from query,relation where query que
tiwizaca	QUERY	× 45.00	All AMP Retrieve	built locally	sel * from query,relation ,workload where
tiwizaca	QUERY	45.00	All AMP Retrieve	built locally	sel * from query,relation ,workload ;;
tiwizaca	RELATION	282.00	All AMP Retrieve	built locally	sel*from query,relation where query,que
tiwizacd	RELATION	282.00	All AMP Retrieve	built locally	sel * from query,relation ,workload where
tiwizacd	RELATION		All AMP Retrieve	built locally	sel * from query,relation ,workload ;;
tiwizaca	WORKLOAD		Single AMP Retr	built locally	sel * from query,relation ,workload where
tiwizaca	WORKLOAD	2.00	All AMP Retrieve	built locally	sel * from query,relation ,workload ;;
₩					Δ.
27 12 20 20 20 20 20 20 20 20 20 20 20 20 20			The state of the s	A STATE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE OWNER.	The second secon
			11 71 7	;	9.7.


	710	712	XIE -	F 16.	
Workload Clean Up	Workload Statements  QCD Name:  TIWIZQCD	State Frequ Statement Text  1 1 sel * from query;; 2 1 sel * from relation;;  1	Selec Recomment Index Tag Validated Sty Validated Til Validated Qt     Selec Recomment   Mylindextag   Validated Style   Validated Qt     Validated Qt   Validated Qt   Validated Qt     Validated Qt   Validated Qt   Validated Qt   Validated Qt     Validated Qt   Validated Qt   Validated Qt   Validated Qt     Validated Qt	- Delete Uptions	OK Cancel








Ap 1913





**(†)** 嫐

ß

9

Elstart | Ed @ 🔞 🖸

QCD: TIWIZQCD

明的对外令语名下码部公司 2:43 PM

Logged on to dpbv0, dbc

F16, 47